

## 3 COLONNE 3 COLUMNS



Cod. Modello Cod. Model	Altezza Height H mm	Interasse Dist. betw. centers N mm	Cont. acqua Water content lt	Peso Weight kg	Resa/Outputs EN 442-1 $\Delta t=50k$ watt/el. kcal/h-el.	$K_m$	Esponente n Exponent n	
C3/300	300	230	0,60	0,85	<b>32,2</b>	27,6	0,225	1,26863
C3/350	350	280	0,66	0,96	<b>37,1</b>	31,9	0,260	1,26802
C3/400	400	330	0,72	1,08	<b>41,9</b>	36,0	0,294	1,26740
C3/450	450	380	0,77	1,18	<b>46,7</b>	40,2	0,329	1,26679
C3/500	500	430	0,83	1,29	<b>51,4</b>	44,2	0,363	1,26617
C3/550	550	480	0,89	1,40	<b>56,2</b>	48,3	0,398	1,26556
C3/600	600	530	0,95	1,51	<b>60,9</b>	52,4	0,432	1,26495
C3/685	685	615	1,06	1,69	<b>68,9</b>	59,2	0,491	1,26390
C3/750	750	680	1,13	1,83	<b>75,0</b>	64,5	0,536	1,26310
C3/885	885	815	1,29	2,13	<b>87,8</b>	75,5	0,631	1,26144
C3/900	900	830	1,31	2,16	<b>89,2</b>	76,7	0,642	1,26126
C3/1000	1000	930	1,43	2,38	<b>98,6</b>	84,8	0,689	1,26901
C3/1100	1100	1030	1,55	2,60	<b>108,1</b>	92,9	0,733	1,27675
C3/1200	1200	1130	1,67	2,82	<b>117,7</b>	101,2	0,773	1,28450
C3/1500	1500	1430	2,03	3,47	<b>146,7</b>	126,1	0,880	1,30774
C3/1800	1800	1730	2,39	4,13	<b>176,4</b>	151,7	0,966	1,33098
C3/2000	2000	1930	2,62	4,56	<b>196,6</b>	169,0	1,098	1,32603
C3/2200	2200	2130	2,86	5,00	<b>217,2</b>	186,8	1,237	1,32108
C3/2500	2500	2430	3,22	5,65	<b>249,0</b>	214,1	1,460	1,31365
C3/2800	2800	2730	3,58	6,30	<b>282,0</b>	242,5	1,598	1,32242
C3/3000	3000	2930	3,82	6,74	<b>304,5</b>	261,8	1,698	1,32648

Lunghezza = numero elementi x 46 mm toll. +/- 1.5% - Length = number of elements x 46 mm toll. +/- 1.5%